Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

N-{2-[4-(2-Hydroxyethyl)piperazin-1-yl]-ethyl}phthalimide

Ying Shao, a* Dong An, a Mi Zhou, a Li Liub and Xiao-Qiang Suna

^aKey Laboratory of Fine Petrohemical Engineering, Changzhou University, Changzhou 213164, Jiangsu, People's Republic of China, and ^bAnalytical Center, Changzhou University, Changzhou 213164, People's Republic of China Correspondence e-mail: yingshao@cczu.edu.cn

Received 10 December 2011; accepted 10 December 2011

Key indicators: single-crystal X-ray study; T = 296 K; mean $\sigma(C-C) = 0.003$ Å; R factor = 0.057; wR factor = 0.161; data-to-parameter ratio = 13.8.

In the title compound, $C_{16}H_{21}N_3O_3$, the piperazine ring adopts a chair conformation, with its N-C bonds in pseudo-equatorial orientations. In the crystal, molecules are linked by O-H···N hydrogen bonds, generating C(5) chains propagating in [101]. Weak aromatic π - π stacking interactions also occur [centroid-centroid separation = 3.899 (1) Å].

Related literature

For general background to piperazine derivatives, see: Tian *et al.* (2011). For the preparation, see: Ghosh *et al.* (2010).

Experimental

Crystal data

 $\begin{array}{lll} {\rm C_{16}H_{21}N_{3}O_{3}} & & b = 37.012 \ (4) \ {\rm \mathring{A}} \\ {M_{r}} = 303.36 & & c = 7.3537 \ (8) \ {\rm \mathring{A}} \\ {\rm Monoclinic}, \ {P2_{1}}/n & & \beta = 95.634 \ (2)^{\circ} \\ {a} = 5.8109 \ (6) \ {\rm \mathring{A}} & & V = 1573.9 \ (3) \ {\rm \mathring{A}}^{3} \end{array}$

Z = 4 T = 296 K Mo $K\alpha$ radiation $0.25 \times 0.22 \times 0.20$ mm $0.25 \times 0.22 \times 0.20$ mm

Data collection

Bruker APEXII CCD 8562 measured reflections diffractometer 2775 independent reflections Absorption correction: multi-scan (SADABS; Bruker, 2000) $R_{\rm int} = 0.978, \ T_{\rm max} = 0.982$ $R_{\rm int} = 0.025$

Refinement

 $\begin{array}{ll} R[F^2 > 2\sigma(F^2)] = 0.057 & 201 \ {\rm parameters} \\ WR(F^2) = 0.161 & {\rm H-atom\ parameters\ constrained} \\ S = 1.00 & \Delta\rho_{\rm max} = 0.53\ {\rm e\ \mathring{A}}^{-3} \\ 2775\ {\rm reflections} & \Delta\rho_{\rm min} = -0.38\ {\rm e\ \mathring{A}}^{-3} \end{array}$

Table 1Hydrogen-bond geometry (Å, °).

$D-H\cdots A$	D-H	$H \cdot \cdot \cdot A$	$D \cdot \cdot \cdot A$	$D-\mathrm{H}\cdots A$
O3-H3A···N3 ⁱ	0.82	2.00	2.811 (3)	171

Symmetry code: (i) $x - \frac{1}{2}, -y + \frac{1}{2}, z - \frac{1}{2}$.

Data collection: *APEX2* (Bruker, 2000); cell refinement: *SAINT* (Bruker, 2000); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL* (Sheldrick, 2008); software used to prepare material for publication: *SHELXTL*.

We gratefully acknowledge the Priority Academic Program Development of Jiangsu Higher Education Institutions (PAPD) and Changzhou University (ZMF10020010) for financial support.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: HB6564).

References

Bruker (2000). SMART, SAINT and SADABS. Bruker AXS Inc., Madison, Wisconsin, USA.

Ghosh, B., Antonio, T., Zhen, J., Kharkar, P., Reith, M. E. A. & Dutta, A. K. (2010). J. Med. Chem. 53, 1023–1037.

Sheldrick, G. M. (2008). Acta Cryst. A64, 112-122.

Tian, Z., Wei, X., Liang, J., Liu, R. & Zhang, Y. (2011). Yingyong Huagong, 40, 1648–1652.

supplementary m	aterials	

Acta Cryst. (2012). E68, o173 [doi:10.1107/S160053681105327X]

N-{2-[4-(2-Hydroxyethyl)piperazin-1-yl]ethyl}phthalimide

Y. Shao, D. An, M. Zhou, L. Liu and X.-Q. Sun

Comment

Piperazine derivatives in pharmaceutical and chemical industries have a wide range of applications (Tian, *et al.*, 2011). The title compound, which is an intermediate for our designed drug, was synthesized from 2-(2-bromoethyl)phthalimide and 2-(piperazin-1-yl)ethanol in the presence of K_2CO_3 as acid-acceptor (Ghosh, *et al.*, 2010). In the molecule of the title compound (Fig. 1), the phthalimide fragment is planar, with r.m.s. deviation of 0.02 Å. The six-membered piperazine ring adopts the chair conformation. In the crystal, the crystal packing is stabilized by O—H···N hydrogen bonding interactions and π - π interactions involving the benzene ring (Fig. 2). For the O—H···N the hydrogen bonding interactions, the relevant distances and angles are: O3···H3A= 0.821 Å, H3A···N3 =1.997 Å, O3···N3^[i]= 2.811 (3) Å, and O3—H3A···N3^[i]= 171.3°. And for the π ··· π interactions, the relevant distances are: Cg···Cg^[ii] = 3.899 (1)Å [symmetry code: (i) x - 1/2, 1/2 - y, -1/2 + z; (ii) 2 - x, -y, 2 - z; Cg is the centroid of the C1–C2–C3–C4–C5–C6 ring].

Experimental

A suspension of 2-(2-bromoethyl)phthalimide (0.63 g, 2.5 mmol), 2-(piperazin-1-yl)ethanol (0.36 g, 2.8 mmol) and K_2CO_3 (0.90 g, 6.5 mmol) in 15 ml acetonitrile was stirred at room temperature for 0.5 h, and then heated to reflux for 10 h. After cooling and filtration, the filter residue was washed with CH_3CN . And the filtrate and washing were combined prior to removing the solvent under vacuum. A white powder (0.55 g, 1.8 mmol) was obtained after recrystallization from ethyl acetate/ petroleum ether. Colourless blocks were obtained by slow evaporation of a CH_3OH solution.

Refinement

All the H atoms were placed in geometrically idealized positions and constrained to ride on their parent atoms, with C—H distances of 0.93–0.97 Å, and with $U_{iso}(H) = 1.2U_{eq}(C)$.

Figures




Fig. 1. View of the title compound, showing 50% probability ellipsoids.



Fig. 2. Perspective view of the title compound along c direction. Labels of atoms have been omitted for clarity.

(l)

Crystal data

 $C_{16}H_{21}N_3O_3$ F(000) = 648

 $M_r = 303.36$ $D_x = 1.280 \text{ Mg m}^{-3}$

Monoclinic, $P2_1/n$ Mo $K\alpha$ radiation, $\lambda = 0.71073$ Å
Hall symbol: -P 2yn Cell parameters from 5733 reflections

 a = 5.8109 (6) Å $\theta = 2.8-29.9^{\circ}$

 b = 37.012 (4) Å $\mu = 0.09 \text{ mm}^{-1}$

 c = 7.3537 (8) Å T = 296 K

 $\beta = 95.634 (2)^{\circ}$ Block, colorless

 $V = 1573.9 (3) \text{ Å}^3$ $0.25 \times 0.22 \times 0.20 \text{ mm}$

Z = 4

Data collection

Bruker APEXII CCD diffractometer 2775 independent reflections

Radiation source: fine-focus sealed tube 2537 reflections with $I > 2\sigma(I)$

graphite $R_{\text{int}} = 0.025$

 ϕ and ω scans $\theta_{max} = 25.1^{\circ}, \, \theta_{min} = 2.2^{\circ}$

Absorption correction: multi-scan (SADABS; Bruker, 2000) $h = -6 \rightarrow 6$ $k = -44 \rightarrow 43$ 8562 measured reflections $l = -8 \rightarrow 6$

Refinement

Refinement on F^2 Secondary atom site location: difference Fourier map

Least-squares matrix: full Hydrogen site location: inferred from neighbouring

sites

 $R[F^2 > 2\sigma(F^2)] = 0.057$ H-atom parameters constrained

 $w = 1/[\sigma^2(F_0^2) + (0.081P)^2 + 1.190P]$ $wR(F^2) = 0.161$

where $P = (F_0^2 + 2F_c^2)/3$

 $S = 1.00 \qquad (\Delta/\sigma)_{\text{max}} < 0.001$ 2775 reflections

2775 reflections $\Delta \rho_{max} = 0.53 \text{ e Å}^{-3}$ 201 parameters $\Delta \rho_{min} = -0.38 \text{ e Å}^{-3}$

Extinction correction: SHELXL97 (Sheldrick, 2008),

 $\text{Fc}^* = \text{kFc}[1 + 0.001 \text{xFc}^2 \lambda^3 / \sin(2\theta)]^{-1/4}$

Primary atom site location: structure-invariant direct

methods

Extinction coefficient: 0.024 (4)

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R-factor wR and goodness of fit S are based on F^2 , conventional R-factors R are based on F, with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R-factors(gt) etc. and is not relevant to the choice of reflections for refinement. R-factors based on F^2 are statistically about twice as large as those based on F, and R- factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\mathring{A}^2)

C1 0.8296 (4) 0.04878 (5) 0.9736 (3) 0.0374 (5) C2 0.7865 (4) 0.02500 (6) 1.1105 (3) 0.0471 (6) H2 0.6530 0.0110 1.1024 0.057* C3 0.9495 (5) 0.02280 (7) 1.2607 (3) 0.0522 (6) H3 0.9260 0.0067 1.3543 0.063* C4 1.1458 (5) 0.04391 (7) 1.2744 (3) 0.0538 (6) H4 1.2518 0.0419 1.3773 0.065* C5 1.1882 (4) 0.06811 (7) 1.1375 (3) 0.0496 (6) H5 1.3199 0.0825 1.1466 0.060* C6 1.0265 (4) 0.06991 (6) 0.9870 (3) 0.0389 (5) C7 1.0250 (4) 0.09147 (6) 0.8160 (3) 0.0414 (5) C9 0.7626 (5) 0.09520 (6) 0.5245 (3) 0.0473 (6) H9A 0.6659 0.0776 0.4558 0.057* H9B 0.9024 0.0982 0.4640 0.057*		x	y	Z	$U_{\rm iso}*/U_{\rm eq}$
H2	C1	0.8296 (4)	0.04878 (5)	0.9736 (3)	0.0374 (5)
C3 0.9495 (5) 0.02280 (7) 1.2607 (3) 0.0522 (6) H3 0.9260 0.0067 1.3543 0.063* C4 1.1458 (5) 0.04391 (7) 1.2744 (3) 0.0538 (6) H4 1.2518 0.0419 1.3773 0.065* C5 1.1882 (4) 0.06811 (7) 1.1375 (3) 0.0496 (6) H5 1.3199 0.0825 1.1466 0.060* C6 1.0265 (4) 0.06991 (6) 0.9870 (3) 0.0389 (5) C7 1.0250 (4) 0.09147 (6) 0.8160 (3) 0.0429 (5) C8 0.6974 (4) 0.05594 (6) 0.7936 (3) 0.04473 (6) C9 0.7626 (5) 0.09520 (6) 0.5245 (3) 0.0473 (6) H9A 0.6659 0.0776 0.4558 0.057* H9B 0.9024 0.0982 0.4640 0.057* C10 0.6356 (4) 0.13096 (6) 0.5228 (3) 0.0398 (5) H10A 0.5043 0.1288 0.5940 0.048*	C2	0.7865 (4)	0.02500 (6)	1.1105 (3)	0.0471 (6)
H3	H2	0.6530	0.0110	1.1024	0.057*
C4 1.1458 (5) 0.04391 (7) 1.2744 (3) 0.0538 (6) H4 1.2518 0.0419 1.3773 0.065* C5 1.1882 (4) 0.06811 (7) 1.1375 (3) 0.0496 (6) H5 1.3199 0.0825 1.1466 0.060* C6 1.0265 (4) 0.06991 (6) 0.9870 (3) 0.0389 (5) C7 1.0250 (4) 0.09147 (6) 0.8160 (3) 0.0429 (5) C8 0.6974 (4) 0.05594 (6) 0.7936 (3) 0.0414 (5) C9 0.7626 (5) 0.09520 (6) 0.5245 (3) 0.0473 (6) H9A 0.6659 0.0776 0.4558 0.057* H9B 0.9024 0.0982 0.4640 0.057* C10 0.6356 (4) 0.13096 (6) 0.5228 (3) 0.0398 (5) H10A 0.5043 0.1288 0.5940 0.048* C11 0.7464 (4) 0.15193 (6) 0.2321 (3) 0.0412 (5) H11A 0.8526 0.1318 0.2290 0.049* C12 0.6585 (4) 0.1687 0.0296 0.049*	C3	0.9495 (5)	0.02280 (7)	1.2607 (3)	0.0522 (6)
H4 1.2518 0.0419 1.3773 0.065* C5 1.1882 (4) 0.06811 (7) 1.1375 (3) 0.0496 (6) H5 1.3199 0.0825 1.1466 0.060* C6 1.0265 (4) 0.06991 (6) 0.9870 (3) 0.0389 (5) C7 1.0250 (4) 0.09147 (6) 0.8160 (3) 0.0429 (5) C8 0.6974 (4) 0.05594 (6) 0.7936 (3) 0.0414 (5) C9 0.7626 (5) 0.09520 (6) 0.5245 (3) 0.0473 (6) H9A 0.6659 0.0776 0.4558 0.057* H9B 0.9024 0.0982 0.4640 0.057* C10 0.6356 (4) 0.13096 (6) 0.5228 (3) 0.0398 (5) H10A 0.5043 0.1288 0.5940 0.048* H10B 0.7380 0.1494 0.5789 0.048* C11 0.7464 (4) 0.15193 (6) 0.2321 (3) 0.0412 (5) H11A 0.8526 0.1318 0.2290 0.049* H11B 0.8300 0.1721 0.2916 0.049* C12 0.6585 (4) 0.16244 (6) 0.0396 (3) 0.0432 (5) H12A 0.7881 0.1687 -0.0280 0.052* H12B 0.5785 0.1421 -0.0210 0.052* C13 0.3083 (4) 0.18340 (7) 0.1460 (3) 0.0472 (6) H13A 0.2223 0.1635 0.0865 0.057* H13B 0.2044 0.2038 0.1501 0.057* C14 0.3970 (4) 0.17252 (6) 0.3390 (3) 0.0439 (5) H14A 0.4768 0.1928 0.4006 0.053* H14B 0.2676 0.1661 0.4064 0.053* C15 0.4241 (5) 0.20357 (6) -0.1491 (3) 0.0519 (6)	Н3	0.9260	0.0067	1.3543	0.063*
C5 1.1882 (4) 0.06811 (7) 1.1375 (3) 0.0496 (6) H5 1.3199 0.0825 1.1466 0.060* C6 1.0265 (4) 0.06991 (6) 0.9870 (3) 0.0389 (5) C7 1.0250 (4) 0.09147 (6) 0.8160 (3) 0.0429 (5) C8 0.6974 (4) 0.05594 (6) 0.7936 (3) 0.0414 (5) C9 0.7626 (5) 0.09520 (6) 0.5245 (3) 0.0473 (6) H9A 0.6659 0.0776 0.4558 0.057* H9B 0.9024 0.0982 0.4640 0.057* C10 0.6356 (4) 0.13096 (6) 0.5228 (3) 0.0398 (5) H10A 0.5043 0.1288 0.5940 0.048* H10B 0.7380 0.1494 0.5789 0.048* C11 0.7464 (4) 0.15193 (6) 0.2321 (3) 0.0412 (5) H11B 0.8300 0.1721 0.2916 0.049* C12 0.6585 (4) 0.16244 (6) 0.0396 (3) 0.0432 (5) H12A 0.7881 0.1687 -0.0280 0.052*	C4	1.1458 (5)	0.04391 (7)	1.2744 (3)	0.0538 (6)
H5	H4	1.2518	0.0419	1.3773	0.065*
C6 1.0265 (4) 0.06991 (6) 0.9870 (3) 0.0389 (5) C7 1.0250 (4) 0.09147 (6) 0.8160 (3) 0.0429 (5) C8 0.6974 (4) 0.05594 (6) 0.7936 (3) 0.0414 (5) C9 0.7626 (5) 0.09520 (6) 0.5245 (3) 0.0473 (6) H9A 0.6659 0.0776 0.4558 0.057* H9B 0.9024 0.0982 0.4640 0.057* C10 0.6356 (4) 0.13096 (6) 0.5228 (3) 0.0398 (5) H10A 0.5043 0.1288 0.5940 0.048* H10B 0.7380 0.1494 0.5789 0.048* C11 0.7464 (4) 0.15193 (6) 0.2321 (3) 0.0412 (5) H11B 0.8506 0.1318 0.2290 0.049* C12 0.6585 (4) 0.16244 (6) 0.0396 (3) 0.0432 (5) H12A 0.7881 0.1687 -0.0280 0.052* C13 0.3083 (4) 0.18340 (7) 0.1460 (3) 0.0472 (6)	C5	1.1882 (4)	0.06811 (7)	1.1375 (3)	0.0496 (6)
C7 1.0250 (4) 0.09147 (6) 0.8160 (3) 0.0429 (5) C8 0.6974 (4) 0.05594 (6) 0.7936 (3) 0.0414 (5) C9 0.7626 (5) 0.09520 (6) 0.5245 (3) 0.0473 (6) H9A 0.6659 0.0776 0.4558 0.057* H9B 0.9024 0.0982 0.4640 0.057* C10 0.6356 (4) 0.13096 (6) 0.5228 (3) 0.0398 (5) H10A 0.5043 0.1288 0.5940 0.048* H10B 0.7380 0.1494 0.5789 0.048* C11 0.7464 (4) 0.15193 (6) 0.2321 (3) 0.0412 (5) H11A 0.8526 0.1318 0.2290 0.049* H11B 0.8300 0.1721 0.2916 0.049* C12 0.6585 (4) 0.16244 (6) 0.0396 (3) 0.0432 (5) H12A 0.7881 0.1687 -0.0280 0.052* C13 0.3083 (4) 0.18340 (7) 0.1460 (3) 0.0472 (6) <	H5	1.3199	0.0825	1.1466	0.060*
C8 0.6974 (4) 0.05594 (6) 0.7936 (3) 0.0414 (5) C9 0.7626 (5) 0.09520 (6) 0.5245 (3) 0.0473 (6) H9A 0.6659 0.0776 0.4558 0.057* H9B 0.9024 0.0982 0.4640 0.057* C10 0.6356 (4) 0.13096 (6) 0.5228 (3) 0.0398 (5) H10A 0.5043 0.1288 0.5940 0.048* H10B 0.7380 0.1494 0.5789 0.048* C11 0.7464 (4) 0.15193 (6) 0.2321 (3) 0.0412 (5) H11A 0.8526 0.1318 0.2290 0.049* H11B 0.8300 0.1721 0.2916 0.049* C12 0.6585 (4) 0.16244 (6) 0.0396 (3) 0.0432 (5) H12A 0.7881 0.1687 -0.0280 0.052* C13 0.3083 (4) 0.18340 (7) 0.1460 (3) 0.0472 (6) H13A 0.2223 0.1635 0.0865 0.057* C14	C6	1.0265 (4)	0.06991 (6)	0.9870(3)	0.0389 (5)
C9 0.7626 (5) 0.09520 (6) 0.5245 (3) 0.0473 (6) H9A 0.6659 0.0776 0.4558 0.057* H9B 0.9024 0.0982 0.4640 0.057* C10 0.6356 (4) 0.13096 (6) 0.5228 (3) 0.0398 (5) H10A 0.5043 0.1288 0.5940 0.048* H10B 0.7380 0.1494 0.5789 0.048* C11 0.7464 (4) 0.15193 (6) 0.2321 (3) 0.0412 (5) H11A 0.8526 0.1318 0.2290 0.049* H11B 0.8300 0.1721 0.2916 0.049* C12 0.6585 (4) 0.16244 (6) 0.0396 (3) 0.0432 (5) H12A 0.7881 0.1687 -0.0280 0.052* C13 0.3083 (4) 0.18340 (7) 0.1460 (3) 0.0472 (6) H13A 0.2223 0.1635 0.0865 0.057* H13B 0.2044 0.2038 0.1501 0.057* C14 0.3970	C7	1.0250 (4)	0.09147 (6)	0.8160(3)	0.0429 (5)
H9A 0.6659 0.0776 0.4558 0.057* H9B 0.9024 0.0982 0.4640 0.057* C10 0.6356 (4) 0.13096 (6) 0.5228 (3) 0.0398 (5) H10A 0.5043 0.1288 0.5940 0.048* H10B 0.7380 0.1494 0.5789 0.048* C11 0.7464 (4) 0.15193 (6) 0.2321 (3) 0.0412 (5) H11A 0.8526 0.1318 0.2290 0.049* H11B 0.8300 0.1721 0.2916 0.049* C12 0.6585 (4) 0.16244 (6) 0.0396 (3) 0.0432 (5) H12A 0.7881 0.1687 -0.0280 0.052* C13 0.3083 (4) 0.18340 (7) 0.1460 (3) 0.0472 (6) H13A 0.2223 0.1635 0.0865 0.057* C14 0.3970 (4) 0.17252 (6) 0.3390 (3) 0.0439 (5) H14A 0.4768 0.1928 0.4006 0.053* C15 0.4241 (5) 0.20357 (6) -0.1491 (3) 0.0519 (6)	C8	0.6974 (4)	0.05594 (6)	0.7936 (3)	0.0414 (5)
H9B 0.9024 0.0982 0.4640 0.057* C10 0.6356 (4) 0.13096 (6) 0.5228 (3) 0.0398 (5) H10A 0.5043 0.1288 0.5940 0.048* H10B 0.7380 0.1494 0.5789 0.048* C11 0.7464 (4) 0.15193 (6) 0.2321 (3) 0.0412 (5) H11A 0.8526 0.1318 0.2290 0.049* H11B 0.8300 0.1721 0.2916 0.049* C12 0.6585 (4) 0.16244 (6) 0.0396 (3) 0.0432 (5) H12A 0.7881 0.1687 -0.0280 0.052* H12B 0.5785 0.1421 -0.0210 0.052* C13 0.3083 (4) 0.18340 (7) 0.1460 (3) 0.0472 (6) H13A 0.2223 0.1635 0.0865 0.057* H13B 0.2044 0.2038 0.1501 0.057* C14 0.3970 (4) 0.17252 (6) 0.3390 (3) 0.0439 (5) H14A 0.4768 0.1928 0.4006 0.053* H14B 0.2676 <td>C9</td> <td>0.7626 (5)</td> <td>0.09520 (6)</td> <td>0.5245 (3)</td> <td>0.0473 (6)</td>	C9	0.7626 (5)	0.09520 (6)	0.5245 (3)	0.0473 (6)
C10 0.6356 (4) 0.13096 (6) 0.5228 (3) 0.0398 (5) H10A 0.5043 0.1288 0.5940 0.048* H10B 0.7380 0.1494 0.5789 0.048* C11 0.7464 (4) 0.15193 (6) 0.2321 (3) 0.0412 (5) H11A 0.8526 0.1318 0.2290 0.049* H11B 0.8300 0.1721 0.2916 0.049* C12 0.6585 (4) 0.16244 (6) 0.0396 (3) 0.0432 (5) H12A 0.7881 0.1687 -0.0280 0.052* H12B 0.5785 0.1421 -0.0210 0.052* C13 0.3083 (4) 0.18340 (7) 0.1460 (3) 0.0472 (6) H13A 0.2223 0.1635 0.0865 0.057* H13B 0.2044 0.2038 0.1501 0.057* C14 0.3970 (4) 0.17252 (6) 0.3390 (3) 0.0439 (5) H14A 0.4768 0.1928 0.4006 0.053* C15 0.4241 (5) 0.20357 (6) -0.1491 (3) 0.0519 (6)	H9A	0.6659	0.0776	0.4558	0.057*
H10A 0.5043 0.1288 0.5940 0.048* H10B 0.7380 0.1494 0.5789 0.048* C11 0.7464 (4) 0.15193 (6) 0.2321 (3) 0.0412 (5) H11A 0.8526 0.1318 0.2290 0.049* H11B 0.8300 0.1721 0.2916 0.049* C12 0.6585 (4) 0.16244 (6) 0.0396 (3) 0.0432 (5) H12A 0.7881 0.1687 -0.0280 0.052* H12B 0.5785 0.1421 -0.0210 0.052* C13 0.3083 (4) 0.18340 (7) 0.1460 (3) 0.0472 (6) H13A 0.2223 0.1635 0.0865 0.057* H13B 0.2044 0.2038 0.1501 0.057* C14 0.3970 (4) 0.17252 (6) 0.3390 (3) 0.0439 (5) H14A 0.4768 0.1928 0.4006 0.053* C15 0.4241 (5) 0.20357 (6) -0.1491 (3) 0.0519 (6)	Н9В	0.9024	0.0982	0.4640	0.057*
H10B 0.7380 0.1494 0.5789 0.048* C11 0.7464 (4) 0.15193 (6) 0.2321 (3) 0.0412 (5) H11A 0.8526 0.1318 0.2290 0.049* H11B 0.8300 0.1721 0.2916 0.049* C12 0.6585 (4) 0.16244 (6) 0.0396 (3) 0.0432 (5) H12A 0.7881 0.1687 -0.0280 0.052* H12B 0.5785 0.1421 -0.0210 0.052* C13 0.3083 (4) 0.18340 (7) 0.1460 (3) 0.0472 (6) H13A 0.2223 0.1635 0.0865 0.057* H13B 0.2044 0.2038 0.1501 0.057* C14 0.3970 (4) 0.17252 (6) 0.3390 (3) 0.0439 (5) H14A 0.4768 0.1928 0.4006 0.053* H14B 0.2676 0.1661 0.4064 0.053* C15 0.4241 (5) 0.20357 (6) -0.1491 (3) 0.0519 (6)	C10	0.6356 (4)	0.13096 (6)	0.5228 (3)	0.0398 (5)
C11 0.7464 (4) 0.15193 (6) 0.2321 (3) 0.0412 (5) H11A 0.8526 0.1318 0.2290 0.049* H11B 0.8300 0.1721 0.2916 0.049* C12 0.6585 (4) 0.16244 (6) 0.0396 (3) 0.0432 (5) H12A 0.7881 0.1687 -0.0280 0.052* H12B 0.5785 0.1421 -0.0210 0.052* C13 0.3083 (4) 0.18340 (7) 0.1460 (3) 0.0472 (6) H13A 0.2223 0.1635 0.0865 0.057* H13B 0.2044 0.2038 0.1501 0.057* C14 0.3970 (4) 0.17252 (6) 0.3390 (3) 0.0439 (5) H14A 0.4768 0.1928 0.4006 0.053* H14B 0.2676 0.1661 0.4064 0.053* C15 0.4241 (5) 0.20357 (6) -0.1491 (3) 0.0519 (6)	H10A	0.5043	0.1288	0.5940	0.048*
H11A 0.8526 0.1318 0.2290 0.049* H11B 0.8300 0.1721 0.2916 0.049* C12 0.6585 (4) 0.16244 (6) 0.0396 (3) 0.0432 (5) H12A 0.7881 0.1687 -0.0280 0.052* H12B 0.5785 0.1421 -0.0210 0.052* C13 0.3083 (4) 0.18340 (7) 0.1460 (3) 0.0472 (6) H13A 0.2223 0.1635 0.0865 0.057* H13B 0.2044 0.2038 0.1501 0.057* C14 0.3970 (4) 0.17252 (6) 0.3390 (3) 0.0439 (5) H14A 0.4768 0.1928 0.4006 0.053* H14B 0.2676 0.1661 0.4064 0.053* C15 0.4241 (5) 0.20357 (6) -0.1491 (3) 0.0519 (6)	H10B	0.7380	0.1494	0.5789	0.048*
H11B 0.8300 0.1721 0.2916 0.049* C12 0.6585 (4) 0.16244 (6) 0.0396 (3) 0.0432 (5) H12A 0.7881 0.1687 -0.0280 0.052* H12B 0.5785 0.1421 -0.0210 0.052* C13 0.3083 (4) 0.18340 (7) 0.1460 (3) 0.0472 (6) H13A 0.2223 0.1635 0.0865 0.057* H13B 0.2044 0.2038 0.1501 0.057* C14 0.3970 (4) 0.17252 (6) 0.3390 (3) 0.0439 (5) H14A 0.4768 0.1928 0.4006 0.053* H14B 0.2676 0.1661 0.4064 0.053* C15 0.4241 (5) 0.20357 (6) -0.1491 (3) 0.0519 (6)	C11	0.7464 (4)	0.15193 (6)	0.2321 (3)	0.0412 (5)
C12 0.6585 (4) 0.16244 (6) 0.0396 (3) 0.0432 (5) H12A 0.7881 0.1687 -0.0280 0.052* H12B 0.5785 0.1421 -0.0210 0.052* C13 0.3083 (4) 0.18340 (7) 0.1460 (3) 0.0472 (6) H13A 0.2223 0.1635 0.0865 0.057* H13B 0.2044 0.2038 0.1501 0.057* C14 0.3970 (4) 0.17252 (6) 0.3390 (3) 0.0439 (5) H14A 0.4768 0.1928 0.4006 0.053* H14B 0.2676 0.1661 0.4064 0.053* C15 0.4241 (5) 0.20357 (6) -0.1491 (3) 0.0519 (6)	H11A	0.8526	0.1318	0.2290	0.049*
H12A 0.7881 0.1687 -0.0280 0.052* H12B 0.5785 0.1421 -0.0210 0.052* C13 0.3083 (4) 0.18340 (7) 0.1460 (3) 0.0472 (6) H13A 0.2223 0.1635 0.0865 0.057* H13B 0.2044 0.2038 0.1501 0.057* C14 0.3970 (4) 0.17252 (6) 0.3390 (3) 0.0439 (5) H14A 0.4768 0.1928 0.4006 0.053* H14B 0.2676 0.1661 0.4064 0.053* C15 0.4241 (5) 0.20357 (6) -0.1491 (3) 0.0519 (6)	H11B	0.8300	0.1721	0.2916	0.049*
H12B 0.5785 0.1421 -0.0210 0.052* C13 0.3083 (4) 0.18340 (7) 0.1460 (3) 0.0472 (6) H13A 0.2223 0.1635 0.0865 0.057* H13B 0.2044 0.2038 0.1501 0.057* C14 0.3970 (4) 0.17252 (6) 0.3390 (3) 0.0439 (5) H14A 0.4768 0.1928 0.4006 0.053* H14B 0.2676 0.1661 0.4064 0.053* C15 0.4241 (5) 0.20357 (6) -0.1491 (3) 0.0519 (6)	C12	0.6585 (4)	0.16244 (6)	0.0396 (3)	0.0432 (5)
C13 0.3083 (4) 0.18340 (7) 0.1460 (3) 0.0472 (6) H13A 0.2223 0.1635 0.0865 0.057* H13B 0.2044 0.2038 0.1501 0.057* C14 0.3970 (4) 0.17252 (6) 0.3390 (3) 0.0439 (5) H14A 0.4768 0.1928 0.4006 0.053* H14B 0.2676 0.1661 0.4064 0.053* C15 0.4241 (5) 0.20357 (6) -0.1491 (3) 0.0519 (6)	H12A	0.7881	0.1687	-0.0280	0.052*
H13A 0.2223 0.1635 0.0865 0.057* H13B 0.2044 0.2038 0.1501 0.057* C14 0.3970 (4) 0.17252 (6) 0.3390 (3) 0.0439 (5) H14A 0.4768 0.1928 0.4006 0.053* H14B 0.2676 0.1661 0.4064 0.053* C15 0.4241 (5) 0.20357 (6) -0.1491 (3) 0.0519 (6)	H12B	0.5785	0.1421	-0.0210	0.052*
H13B 0.2044 0.2038 0.1501 0.057* C14 0.3970 (4) 0.17252 (6) 0.3390 (3) 0.0439 (5) H14A 0.4768 0.1928 0.4006 0.053* H14B 0.2676 0.1661 0.4064 0.053* C15 0.4241 (5) 0.20357 (6) -0.1491 (3) 0.0519 (6)	C13	0.3083 (4)	0.18340 (7)	0.1460(3)	0.0472 (6)
C14 0.3970 (4) 0.17252 (6) 0.3390 (3) 0.0439 (5) H14A 0.4768 0.1928 0.4006 0.053* H14B 0.2676 0.1661 0.4064 0.053* C15 0.4241 (5) 0.20357 (6) -0.1491 (3) 0.0519 (6)	H13A	0.2223	0.1635	0.0865	0.057*
H14A 0.4768 0.1928 0.4006 0.053* H14B 0.2676 0.1661 0.4064 0.053* C15 0.4241 (5) 0.20357 (6) -0.1491 (3) 0.0519 (6)	H13B	0.2044	0.2038	0.1501	0.057*
H14B 0.2676 0.1661 0.4064 0.053* C15 0.4241 (5) 0.20357 (6) -0.1491 (3) 0.0519 (6)	C14	0.3970 (4)	0.17252 (6)	0.3390(3)	0.0439 (5)
C15 0.4241 (5) 0.20357 (6) -0.1491 (3) 0.0519 (6)	H14A	0.4768	0.1928	0.4006	0.053*
	H14B	0.2676	0.1661	0.4064	0.053*
H15A 0.3210 0.1850 -0.2032 0.062*	C15	0.4241 (5)	0.20357 (6)	-0.1491 (3)	0.0519 (6)
	H15A	0.3210	0.1850	-0.2032	0.062*
H15B 0.5576 0.2045 -0.2184 0.062*	H15B	0.5576	0.2045	-0.2184	0.062*

C16	0.3036 (6)	0.23880 (8)	-0.1657 (4)	0.0696 (8)
H16A	0.1483	0.2367	-0.1290	0.083*
H16B	0.3870	0.2568	-0.0892	0.083*
N1	0.8237 (3)	0.08156 (5)	0.7086 (2)	0.0419 (5)
N2	0.5552 (3)	0.14180 (5)	0.3366 (2)	0.0360 (4)
N3	0.5012 (3)	0.19317 (5)	0.0404(2)	0.0403 (5)
O1	0.5199 (3)	0.04208 (5)	0.7274 (2)	0.0618 (5)
O2	1.1636 (3)	0.11320 (5)	0.7720(3)	0.0648 (6)
O3	0.2965 (5)	0.24873 (7)	-0.3547 (3)	0.0921 (8)
Н3А	0.2018	0.2650	-0.3766	0.138*

Atomic displacement parameters $(\mathring{\mathbb{A}}^2)$

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
C1	0.0419 (11)	0.0314 (10)	0.0381 (11)	0.0005 (8)	-0.0002 (9)	0.0024 (8)
C2	0.0529 (14)	0.0431 (12)	0.0443 (12)	-0.0071 (10)	-0.0002 (10)	0.0086 (10)
C3	0.0676 (16)	0.0493 (13)	0.0383 (12)	0.0031 (12)	-0.0014 (11)	0.0086 (10)
C4	0.0582 (15)	0.0584 (15)	0.0416 (13)	0.0088 (12)	-0.0115 (11)	0.0004 (11)
C5	0.0417 (12)	0.0526 (14)	0.0524 (14)	-0.0020 (10)	-0.0059 (10)	-0.0047 (11)
C6	0.0398 (11)	0.0342 (10)	0.0420 (12)	0.0016 (8)	0.0011 (9)	0.0001 (9)
C7	0.0434 (12)	0.0382 (11)	0.0473 (12)	-0.0015 (9)	0.0054 (10)	0.0020 (9)
C8	0.0452 (12)	0.0343 (11)	0.0432 (12)	-0.0016 (9)	-0.0034 (9)	0.0041 (9)
C9	0.0655 (15)	0.0407 (12)	0.0354 (11)	0.0044 (10)	0.0033 (10)	0.0052 (9)
C10	0.0457 (12)	0.0431 (12)	0.0310 (10)	0.0030 (9)	0.0059 (9)	0.0049 (8)
C11	0.0380 (11)	0.0497 (12)	0.0364 (11)	0.0053 (9)	0.0067 (9)	0.0062 (9)
C12	0.0481 (12)	0.0487 (13)	0.0335 (11)	0.0026 (10)	0.0076 (9)	0.0035 (9)
C13	0.0440 (12)	0.0513 (13)	0.0448 (13)	0.0093 (10)	-0.0025 (10)	0.0073 (10)
C14	0.0417 (12)	0.0531 (13)	0.0375 (12)	0.0081 (10)	0.0067 (9)	0.0072 (10)
C15	0.0728 (17)	0.0457 (13)	0.0350 (12)	0.0036 (12)	-0.0063 (11)	0.0025 (10)
C16	0.098(2)	0.0624 (17)	0.0448 (14)	0.0265 (16)	-0.0084 (14)	0.0069 (12)
N1	0.0491 (11)	0.0367 (9)	0.0391 (10)	-0.0018 (8)	0.0011 (8)	0.0075 (8)
N2	0.0373 (9)	0.0403 (9)	0.0307 (9)	0.0014 (7)	0.0046 (7)	0.0047 (7)
N3	0.0502 (11)	0.0404 (10)	0.0291 (9)	-0.0017 (8)	-0.0018 (7)	0.0031 (7)
O1	0.0588 (11)	0.0610 (11)	0.0604 (11)	-0.0196 (9)	-0.0195 (9)	0.0150 (9)
O2	0.0597 (11)	0.0635 (11)	0.0720 (13)	-0.0211 (9)	0.0098 (9)	0.0157 (9)
O3	0.136 (2)	0.0818 (15)	0.0558 (12)	0.0490 (15)	-0.0048 (13)	0.0216 (11)

Geometric parameters (Å, °)

C1—C2	1.379 (3)	C11—N2	1.460(3)
C1—C6	1.381 (3)	C11—C12	1.508 (3)
C1—C8	1.487 (3)	C11—H11A	0.9700
C2—C3	1.385 (3)	C11—H11B	0.9700
C2—H2	0.9300	C12—N3	1.460(3)
C3—C4	1.378 (4)	C12—H12A	0.9700
C3—H3	0.9300	C12—H12B	0.9700
C4—C5	1.387 (4)	C13—N3	1.470(3)
C4—H4	0.9300	C13—C14	1.516 (3)
C5—C6	1.381 (3)	C13—H13A	0.9700

C5—H5	0.9300	C13—H13B	0.9700
C6—C7	1.489 (3)	C14—N2	1.463 (3)
C7—O2	1.204 (3)	C14—H14A	0.9700
C7—N1	1.395 (3)	C14—H14B	0.9700
C8—O1	1.210 (3)	C15—N3	1.472 (3)
C8—N1	1.385 (3)	C15—C16	1.479 (4)
C9—N1	1.456 (3)	C15—H15A	0.9700
C9—C10	1.515 (3)	C15—H15B	0.9700
C9—H9A	0.9700	C16—O3	1.435 (3)
C9—H9B	0.9700	C16—H16A	0.9700
C10—N2	1.459 (3)	C16—H16B	0.9700
C10—H10A	0.9700	O3—H3A	0.8200
C10—H10B	0.9700		
C2—C1—C6	121.2 (2)	H11A—C11—H11B	108.1
C2—C1—C8	130.4 (2)	N3—C12—C11	110.60 (17)
C6—C1—C8	108.36 (18)	N3—C12—H12A	109.5
C1—C2—C3	117.4 (2)	C11—C12—H12A	109.5
C1—C2—H2	121.3	N3—C12—H12B	109.5
C3—C2—H2	121.3	C11—C12—H12B	109.5
C4—C3—C2	121.5 (2)	H12A—C12—H12B	108.1
C4—C3—H3	119.3	N3—C13—C14	110.70 (18)
C2—C3—H3	119.3	N3—C13—H13A	109.5
C3—C4—C5	121.1 (2)	C14—C13—H13A	109.5
C3—C4—H4	119.4	N3—C13—H13B	109.5
C5—C4—H4	119.4	C14—C13—H13B	109.5
C6—C5—C4	117.2 (2)	H13A—C13—H13B	109.3
C6—C5—H5	121.4	N2—C14—C13	110.55 (18)
C4—C5—H5	121.4	N2—C14—C13 N2—C14—H14A	109.5
C5—C6—C1	121.6 (2)	C13—C14—H14A	109.5
C5—C6—C7			
C1—C6—C7	130.5 (2) 107.87 (18)	N2—C14—H14B	109.5
	` ′	C13—C14—H14B	109.5
O2—C7—N1	124.7 (2)	H14A—C14—H14B	108.1
O2—C7—C6	129.5 (2)	N3—C15—C16	114.0 (2)
N1—C7—C6	105.80 (18)	N3—C15—H15A	108.8
01—C8—N1	125.2 (2)	C16—C15—H15A	108.8
01—C8—C1	128.9 (2)	N3—C15—H15B	108.8
N1—C8—C1	105.84 (17)	C16—C15—H15B	108.8
N1—C9—C10	112.62 (18)	H15A—C15—H15B	107.7
N1—C9—H9A	109.1	O3—C16—C15	105.9 (2)
C10—C9—H9A	109.1	O3—C16—H16A	110.6
N1—C9—H9B	109.1	C15—C16—H16A	110.6
C10—C9—H9B	109.1	O3—C16—H16B	110.6
H9A—C9—H9B	107.8	C15—C16—H16B	110.6
N2—C10—C9	111.02 (17)	H16A—C16—H16B	108.7
N2—C10—H10A	109.4	C8—N1—C7	112.13 (18)
C9—C10—H10A	109.4	C8—N1—C9	124.43 (19)
N2—C10—H10B	109.4	C7—N1—C9	123.34 (19)
C9—C10—H10B	109.4	C11—N2—C10	111.95 (16)
H10A—C10—H10B	108.0	C11—N2—C14	108.56 (17)

N2—C11—C12	110.79 (18)	C10—N2—C14		110.22 (16)
N2—C11—H11A	109.5	C12—N3—C13		108.70 (17)
C12—C11—H11A	109.5	C12—N3—C15		109.44 (17)
N2—C11—H11B	109.5	C13—N3—C15		112.78 (18)
C12—C11—H11B	109.5	C16—O3—H3A		109.5
C6—C1—C2—C3	-0.8 (3)	O1—C8—N1—C7		-177.6 (2)
C8—C1—C2—C3	176.4 (2)	C1—C8—N1—C7		0.3 (2)
C1—C2—C3—C4	1.0 (4)	O1—C8—N1—C9		-1.1 (4)
C2—C3—C4—C5	-0.3 (4)	C1—C8—N1—C9		176.87 (19)
C3—C4—C5—C6	-0.4 (4)	O2—C7—N1—C8		179.9 (2)
C4—C5—C6—C1	0.5 (3)	C6—C7—N1—C8		-0.1 (2)
C4—C5—C6—C7	-177.1 (2)	O2—C7—N1—C9		3.2 (4)
C2—C1—C6—C5	0.1 (3)	C6—C7—N1—C9		-176.69 (19)
C8—C1—C6—C5	-177.7 (2)	C10—C9—N1—C8		97.9 (3)
C2—C1—C6—C7	178.2 (2)	C10—C9—N1—C7		-85.9 (3)
C8—C1—C6—C7	0.4(2)	C12—C11—N2—C10		179.14 (17)
C5—C6—C7—O2	-2.3 (4)	C12—C11—N2—C14		-59.0 (2)
C1—C6—C7—O2	179.9 (2)	C9—C10—N2—C11		-69.7 (2)
C5—C6—C7—N1	177.6 (2)	C9—C10—N2—C14		169.38 (19)
C1—C6—C7—N1	-0.2 (2)	C13—C14—N2—C11		58.3 (2)
C2—C1—C8—O1	-0.1 (4)	C13—C14—N2—C10		-178.72 (18)
C6—C1—C8—O1	177.4 (2)	C11—C12—N3—C13		-58.2 (2)
C2—C1—C8—N1	-178.0(2)	C11—C12—N3—C15		178.21 (19)
C6—C1—C8—N1	-0.4(2)	C14—C13—N3—C12		57.8 (2)
N1—C9—C10—N2	-173.76 (18)	C14—C13—N3—C15		179.35 (18)
N2—C11—C12—N3	60.1 (2)	C16—C15—N3—C12		-168.0 (2)
N3—C13—C14—N2	-58.9 (3)	C16—C15—N3—C13		70.9 (3)
N3—C15—C16—O3	165.2 (2)			
Hydrogen-bond geometry (Å, °)				
<i>D</i> —H··· <i>A</i>	<i>D</i> —H	$H\cdots A$	D··· A	<i>D</i> —H <i>⋯A</i>
O3—H3A···N3 ⁱ	0.82	2.00	2.811 (3)	171
Symmetry codes: (i) $x-1/2$, $-y+1/2$, $z-1/2$, $-y+1/2$, $z-1/2$	1/2.			

Fig. 1




Fig. 2

